



SERRAX TECHNOLOGIES

An ISO 9001 : 2015 Certified Company

PRODUCT CATALOGUE



**A Leading
Manufacturer
and Supplier
of Air Quality
Monitoring, Gas
Monitoring,
and Industrial
Process
Measurement
Instruments.**

GASEOUS POLLUTANT SAMPLER (APM433)



Technical Specification

Absorbers Provided	Free
Sampling Rate of each Impinger	Measured using Rota Meter
Sampling Train	A Manifold having four inlets and one outlet with built-in needle valves for flow control of each inlet
Sampling Time	28 hours (maximum)
Sampling Time Record	0 to 99:59 (99 hours and 59 minutes)
Automatic Sampling Control	24 hrs. Programmable timer to automatically shut off the system after a preset interval.
Compositing Mode of Operation	Programmable pump operation with ON & OFF period (controllable 1 - 99 minutes)
Sampling Pump	Diaphragm pump with 6LPM free flow rate and 15CM of Mercury pressure
Power Requirement	Nominal 220v, single phase 50 Hz AC, 150 watts.

Our Customers







GET IN TOUCH

 +91 8851 906 679

 info@serrax.in

 www.serrax.in

 A84, 2nd Floor, DDA SHED
Okhla Phase 2, New Delhi – 20